

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation

Top Tec ATF 1700 1 L

Art.: 3663

Use of the substance/preparation

Gear lubricant

Company/undertaking identification

LIQUI MOLY GmbH, Jerg-Wieland-Straße 4, D-89081 Ulm-Lehr
 Telephone (+49) 0731-1420-0, Fax (+49) 0731-1420-88

E-mail address of the competent person: info@chemical-check.de, k.schnurbusch@chemical-check.de

Emergency telephone

Advisory office in case of poisoning:

Tel.:

Telephone number of the company in case of emergencies:

Tel. (+49) 0731-1420-0

2. HAZARDS IDENTIFICATION

Preparation is not classified as hazardous in the sense of directive 1999/45/EC.

To people

See point 11 and 15.

May produce an allergic reaction.

To the environment

See point 12.

Product can compose a film on the water surface, which can prevent oxygen exchange.

Endangerment of potable water possible.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | | | |
|------------------------|----------------------------|-----------|----------------|
| content % | Symbol | R-phrases | EINECS, ELINCS |
| | Registration number (ECHA) | DNEL | PNEC |
| Polyalkyl methacrylate | | | |
| 1 - 10 | Xi | 36 | |
| | | | |

For complete wording of the R-phrases, refer to point 16.

4. FIRST AID MEASURES

4.1 Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision: 04.03.2009 Replaces the version of: 04.03.2009 PDF date: 04.03.2009
Top Tec ATF 1700 1 L Art.: 3663

4.2 Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

4.3 Skin contact

Wash thoroughly with soap and copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Unsuitable cleaning product:

Solvent

Thinners

4.4 Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.5 Special resources necessary for first aid

n.c.

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

CO₂

Extinction powder

Water jet spray

Large fire:

Water jet spray / alcohol resistant foam

Cool container at risk with water.

5.2 Extinguishing media which shall not be used for safety reasons

High volume water jet

5.3 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

In case of fire the following can develop:

Oxides of carbon

Toxic pyrolysis products.

Flammable vapour/air mixtures.

5.4 Special protective equipment for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply

According to size of fire

Full protection, if necessary

5.5 Further information

Dispose of contaminated extinction water according to official regulations.

6. ACCIDENTAL RELEASE MEASURES

Refer to point 13. and for personal protection refer to point 8.

6.1 Personal precautions

Ensure sufficient supply of air.

Avoid formation of oil mist.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods for cleaning up

Collect using absorbant material (e.g. Universal binding medium, sand, kieselguhr, sawdust), and dispose of according to point 13.

Oil binder

Do not wash away with water or watery cleaning agents.

7. HANDLING AND STORAGE

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision: 04.03.2009 Replaces the version of: 04.03.2009 PDF date: 04.03.2009
 Top Tec ATF 1700 1 L Art.: 3663

7.1 Handling

Tips for safe handling:

See point 6.1
 Avoid formation of oil mist.
 Ensure good ventilation.
 Keep away from sources of ignition - Do not smoke.
 Do not heat to temperatures close to flash point.
 Avoid contact with eyes.
 Avoid long lasting or intensive contact with skin.
 Do not carry cleaning cloths soaked in product in trouser pockets.
 Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.
 Observe directions on label and instructions for use.

7.2. Storage

Requirements for storage rooms and containers:

Not to be stored in gangways or stair wells.
 Store product closed and only in original packing.
 Impermeable floor.

Special storage conditions:

See point 10
 Protect against moisture and store closed.
 Protect from direct sunlight and warming.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure limit values

| GB Chemical Name | Oil mist, mineral | Content %: |
|--------------------------|----------------------------|------------|
| WEL-TWA: 5 mg/m3 (ACGIH) | WEL-STEL: 10 mg/m3 (ACGIH) | --- |
| BMGV: --- | Other information: --- | |

GB WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls

8.2.1 Occupational exposure controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.
 If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.
 Applies only if maximum permissible exposure values are listed here.
 General hygiene measures for the handling of chemicals are applicable.
 Wash hands before breaks and at end of work.
 Keep away from food, drink and animal feedingstuffs.
 Respiratory protection:
 Normally not necessary.
 With oil mist formation
 Filter A2 P2 (EN 14387)
 Observe wearing time limitations for respiratory protection equipment.
 Hand protection:
 Protective gloves, oil resistant (EN 374)
 If applicable
 Protective Neopren gloves (EN 374).
 Protective nitrile gloves (EN 374)
 Protective hand cream recommended.
 Eye protection:
 Tight fitting protective goggles (EN 166) with side protection, with danger of projections.
 Skin protection:
 Protective working garments (e.g. safety shoes EN 344, long-sleeved protective working garments)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision: 04.03.2009 Replaces the version of: 04.03.2009 PDF date: 04.03.2009
 Top Tec ATF 1700 1 L Art.: 3663

Additional information on hand protection - No tests have been performed.
 Selection made for preparations according to the best available knowledge and information on the ingredients.
 Selection of materials derived from glove manufacturer's indications.
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.
 In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.2 Environmental exposure controls

n.av.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-----------------------------------|--|
| Physical state: | Liquid |
| Colour: | Brown |
| Odour: | Characteristic |
| Boiling point/boiling range (°C): | n.av. |
| Melting point/melting range (°C): | -60 |
| Flash point (°C): | 240 |
| Autoflammability: | n.c. |
| Minimum limit of explosion: | n.a. |
| Maximum limit of explosion: | n.a. |
| Vapour pressure: | n.c. |
| Density (g/ml): | 0,840 |
| Water solubility: | Insoluble |
| Viscosity: | 38 mm ² /s (40°C), 7,7 mm ² /s (100°C) |

10. STABILITY AND REACTIVITY

Conditions to avoid

See point 7
 Stable when handled and stored correctly.
 Heating, open flame, ignition sources

Materials to avoid

See point 7
 No dangerous reactions are known.
 Avoid contact with strong oxidizing agents.

Hazardous decomposition products

See point 5.3
 No decomposition when used as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity and immediate effects

| | |
|--|-------|
| Ingestion, LD50 rat oral (mg/kg): | n.av. |
| Inhalation, LC50 rat inhal.(mg/l/4h): | n.av. |
| Skin contact, LD50 rat dermal (mg/kg): | n.av. |
| Eye contact: | n.av. |

Delayed and chronic effects

| | |
|------------------------|------|
| Sensitization: | n.c. |
| Carcinogenicity: | n.c. |
| Mutagenicity: | n.c. |
| Reproductive toxicity: | n.c. |
| Narcosis: | n.c. |

Further information

The product was not tested.
 Classification according to calculation procedure.
 The following may occur:

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision: 04.03.2009 Replaces the version of: 04.03.2009 PDF date: 04.03.2009
 Top Tec ATF 1700 1 L Art.: 3663

Irritation of the eyes
 With long-term contact:
 Drying of the skin.
 Dermatitis (skin inflammation)
 Oil acne
 Allergic reaction possible.
 On vapour formation:
 Irritation of the respiratory tract
 Ingestion:
 Gastrointestinal disturbances
 Nausea
 Vomiting
 Blood count modifications
 Effects/damages the central nervous system

12. ECOLOGICAL INFORMATION

The product was not tested.
 Water hazard class (Germany): 1
 Self classification: Yes (VwVwS)
 Persistence and degradability: n.av.
 Behaviour in sewage plants: Isolate as much as possible with an oil separator.
 Aquatic toxicity: n.av.
 Ecological toxicity: n.av.
 Accumulation: n.av.

13. DISPOSAL CONSIDERATIONS

13.1. for the material / preparation / residue

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of.
 EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.
 Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)
 13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils
 13 02 06 synthetic engine, gear and lubricating oils

Recommendation:

Pay attention to local and national official regulations
 Implement substance recycling.
 E.g. suitable incineration plant.

13.2 for contaminated packing material

See point 13.1

Pay attention to local and national official regulations

15 01 02 plastic packaging

15 01 04 metallic packaging

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

14. TRANSPORT INFORMATION

General statements

UN-Number: n.a.

Road/Rail-transport (ADR/RID)

Class/packing group: n.a.

Classification code: n.a.

LQ: n.a.

Transport by sea

IMDG-code: n.a. (class/packing group)

Marine Pollutant: n.a.

Transport by air

IATA: n.a. (class/secondary danger/packing group)

Additional information:

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision: 04.03.2009 Replaces the version of: 04.03.2009 PDF date: 04.03.2009
Top Tec ATF 1700 1 L Art.: 3663

Non-dangerous material according to Transport Regulations.

15. REGULATORY INFORMATION

Classification according to Dangerous Product Regulations incl. EC Directives (67/548/EEC and 1999/45/EC)

Symbols: Not applicable

Indications of danger: ---

R-phrases:

S-phrases:

Additions:

Safety data sheet available for professional user on request.

Contains

long-chained alkylamine, alkoxyated

May produce an allergic reaction.

Observe restrictions: n.a.

16. OTHER INFORMATION

These details refer to the product as it is delivered.

Storage class VCI (Germany): 10

Revised points: n.a.

The following phrases represent the prescribed R-phrases for the ingredients (designated in point 3).

36 Irritating to eyes.

Legend:

n.a. = not applicable / n.v., k.D.v. = n.av. = not available / n.g. = n.c. = not checked

WEL = Workplace Exposure Limit EH40, TWA = Long-term exposure limit (8-hour TWA (= time weighted average) reference period), STEL = Short-term exposure limit (15-minute reference period) / BMGV = Biological monitoring guidance value EH40

AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany) / BGW = "Biologischer Grenzwert" (biological limit value, Germany)

VbF = Regulations for flammable liquids (Austria)

WGK = water hazard class (Germany) - WGK 3 = very hazardous, WGK 2 = hazardous, WGK 1 = slightly hazardous to water

VOC = Volatile organic compounds / AOX = Adsorbable organic halogen compounds

VwVwS = Administrative Order relating to substances hazardous to water (Germany)

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

**Chemical Check GmbH, Wöbbeler Straße 2-4, D-32839 Steinheim, Tel.: +49 5233 94 17 0, +49 1805-
CHEMICAL / +49 180 52 43 642, Fax: +49 5233 94 17 90, +49 180 50 50 455**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.